

View Online at <https://aerobasegroup.com/nsn/5340-01-333-9986>

**Mounting Hole Type:**

Plain

**First Leg Length:**

0.750 inches

**Second Leg Length:**

3.500 inches

**Reinforcement Method (non-core):**

Turned edge second leg

**Second Leg Width:**

0.800 inches

**Second Leg Corner Radius:**

0.060 inches

**First Leg Hole Diameter:**

Between 0.169 inches and 0.175 inches

**Second Leg Hole Diameter:**

Between 0.127 inches and 0.133 inches

**Second Leg Distance Between Hole Centers Along Width:**

0.330 inches

**Second Leg Distance Between Hole Centers Along Length:**

1.250 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.290 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg Thickness:**

0.050 inches

**Second Leg Thickness:**

0.050 inches

**First Leg Width:**

0.800 inches

**First Leg Corner Radius:**

0.060 inches

**First Leg Distance Between Hole Centers Along Width:**

0.225 inches

**First Leg Distance Between Hole Centers Along Length:**

0.250 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.350 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.240 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Corner radius

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

2 holes in turned edge

**Material:**

Aluminum alloy 6061

**Material Specification:**

Qq-a-250/11, t4 federal specification single material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-c-5541, cl 1a military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.