NSN 5340-01-334-0023

Access Cover - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5340-01-334-0023

| Cross Sectional Shape: |
|---|
| Flat |
| Hole Diameter: |
| Between 0.088 inches and 0.093 inches |
| Width: |
| 0.350 inches |
| Edge Shape: |
| Rectangle, multi holes |
| Length: |
| 1.200 inches |
| Hole Quantity Along Length: |
| 3 |
| Distance Between Holes Along Length: |
| 0.335 inches |
| Distance From First Hole Centerline To End Along Length: |
| 0.310 inches |
| Distance From First Hole Centerline To End Along Width: |
| 0.180 inches |
| Body Thickness: |
| 0.090 inches |
| Securing Device Type: |
| Special |
| Mounting Opening Shape Style: |
| |
| Unthreaded hole |
| Unthreaded hole Features Provided: |
| |
| Features Provided: |
| Features Provided: Sealing capability |
| Features Provided: Sealing capability Special Features: |
| Features Provided: Sealing capability Special Features: Pad glued to plate; 0.400 in. Lg by 0.350 in. Wd |
| Features Provided: Sealing capability Special Features: Pad glued to plate; 0.400 in. Lg by 0.350 in. Wd Material: |
| Features Provided: Sealing capability Special Features: Pad glued to plate; 0.400 in. Lg by 0.350 in. Wd Material: Aluminum alloy 5052 or aluminum alloy 6061 |
| Features Provided: Sealing capability Special Features: Pad glued to plate; 0.400 in. Lg by 0.350 in. Wd Material: Aluminum alloy 5052 or aluminum alloy 6061 Material Specification: |
| Features Provided: Sealing capability Special Features: Pad glued to plate; 0.400 in. Lg by 0.350 in. Wd Material: Aluminum alloy 5052 or aluminum alloy 6061 Material Specification: Qq-a-250/8-h32 federal specification 1st material response or qq-a-250/11-t6 federal specification 2nd material response |
| Features Provided: Sealing capability Special Features: Pad glued to plate; 0.400 in. Lg by 0.350 in. Wd Material: Aluminum alloy 5052 or aluminum alloy 6061 Material Specification: Qq-a-250/8-h32 federal specification 1st material response or qq-a-250/11-t6 federal specification 2nd material response Shelf Life: |
| Features Provided: Sealing capability Special Features: Pad glued to plate; 0.400 in. Lg by 0.350 in. Wd Material: Aluminum alloy 5052 or aluminum alloy 6061 Material Specification: Qq-a-250/8-h32 federal specification 1st material response or qq-a-250/11-t6 federal specification 2nd material response Shelf Life: N/a |
| Features Provided: Sealing capability Special Features: Pad glued to plate; 0.400 in. Lg by 0.350 in. Wd Material: Aluminum alloy 5052 or aluminum alloy 6061 Material Specification: Qq-a-250/8-h32 federal specification 1st material response or qq-a-250/11-t6 federal specification 2nd material response Shelf Life: N/a |
| Features Provided: Sealing capability Special Features: Pad glued to plate; 0.400 in. Lg by 0.350 in. Wd Material: Aluminum alloy 5052 or aluminum alloy 6061 Material Specification: Qq-a-250/8-h32 federal specification 1st material response or qq-a-250/11-t6 federal specification 2nd material response Shelf Life: N/a Unit Of Measure: |
| Features Provided: Sealing capability Special Features: Pad glued to plate; 0.400 in. Lg by 0.350 in. Wd Material: Aluminum alloy 5052 or aluminum alloy 6061 Material Specification: Qq-a-250/8-h32 federal specification 1st material response or qq-a-250/11-t6 federal specification 2nd material response Shelf Life: N/a Unit Of Measure: Demilitarization: |