

View Online at <https://aerobasegroup.com/nsn/5340-01-334-4241>

Mounting Hole Type:

Plain

First Leg Length:

1.880 inches

Second Leg Length:

1.880 inches

Reinforcement Method (non-core):

Turned edge both legs

First Leg Hole Diameter:

Between 0.410 inches and 0.414 inches

First Leg Thickness:

0.200 inches

Second Leg Thickness:

0.200 inches

Center Section Height:

Between 3.120 inches and 3.160 inches

Center Section Width:

4.320 inches

Center Section Thickness:

0.200 inches

First Leg Width:

4.320 inches

First Leg Distance Between Hole Centers Along Width:

2.720 inches

First Leg Distance From Edge To Hole Center Along Width:

1.000 inches

First Leg Distance From Edge To Hole Center Along Length:

0.880 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Features Provided:

Nut

Second Leg Relationship To First Leg:

Identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Special Features:

Center section 1 hole 0.567 in. Min, 0.571 in. Maximum diameter w/nut, 1 small hole 0.280 in. Dia

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-200/8, t6 federal specification single material response or astm b221 assn standard single material response

Surface Treatment:

Plastic polyurethane

Surface Treatment Specification:

Mil-c-46168 military specification single treatment response or mil-c-53039 military specification single treatment response

Style Designator:

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-c-46168 spec.