

View Online at <https://aerobasegroup.com/nsn/5340-01-334-7425>

**Mounting Hole Type:**

Plain and threaded

**First Leg Length:**

0.620 inches

**Second Leg Length:**

0.850 inches

**Second Leg Width:**

1.650 inches

**First Leg Hole Diameter:**

0.170 inches

**Second Leg Distance Between First And Second Hole Centers Along Width:**

0.502 inches

**Second Leg Distance Between Second And Third Hole Centers Along Width:**

0.502 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.228 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.150 inches

**First Leg Thickness:**

0.110 inches

**Second Leg Thickness:**

0.200 inches

**First Leg Width:**

1.650 inches

**First Leg Distance Between Hole Centers Along Width:**

1.000 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.228 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.190 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Three holes

**Second Leg Relationship To First Leg:**

Identical

**First Leg Angle:**

0.06 radians

**Special Features:**

Second leg mounting holes, two are threaded, 0.138-32 unc-2b; one hole in middle of leg centerline, 0.250 in. Dia; clevis is part of second leg

**Material:**

Steel comp 630

**Material Specification:**

Ams 5643 assn standard single material response

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Qq-p-35, type 1 federal specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0