

View Online at <https://aerobasegroup.com/nsn/5340-01-334-7425>

Mounting Hole Type:

Plain and threaded

First Leg Length:

0.620 inches

Second Leg Length:

0.850 inches

Second Leg Width:

1.650 inches

First Leg Hole Diameter:

0.170 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

0.502 inches

Second Leg Distance Between Second And Third Hole Centers Along Width:

0.502 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.228 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.150 inches

First Leg Thickness:

0.110 inches

Second Leg Thickness:

0.200 inches

First Leg Width:

1.650 inches

First Leg Distance Between Hole Centers Along Width:

1.000 inches

First Leg Distance From Edge To Hole Center Along Width:

0.228 inches

First Leg Distance From Edge To Hole Center Along Length:

0.190 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Identical

First Leg Angle:

0.06 radians

Special Features:

Second leg mounting holes, two are threaded, 0.138-32 unc-2b; one hole in middle of leg centerline, 0.250 in. Dia; clevis is part of second leg

Material:

Steel comp 630

Material Specification:

Ams 5643 assn standard single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35, type 1 federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0