

View Online at <https://aerobasegroup.com/nsn/5340-01-335-6510>

**Mounting Hole Type:**

Plain

**First Leg Length:**

0.690 inches

**Second Leg Length:**

2.500 inches

**Second Leg Width:**

0.750 inches

**Second Leg End Width:**

Between 0.560 inches and 0.620 inches

**First Leg Hole Diameter:**

Between 0.187 inches and 0.193 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.380 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.350 inches

**Second Leg Slot Length:**

Between 0.360 inches and 0.400 inches

**Second Leg Slot Width:**

Between 0.297 inches and 0.303 inches

**First Leg Thickness:**

0.063 inches

**Second Leg Thickness:**

0.063 inches

**First Leg Width:**

0.760 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.380 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.260 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

Chamfered ends

**Second Leg Hole Arrangement Style:**

One slot

**Second Leg Relationship To First Leg:**

Identical

**First Leg Angle:**

90.0 degrees

**Second Leg Chamfer Angle:**

Between 40.0 degrees and 50.0 degrees

**Material:**

Aluminum alloy 6061

**Material Specification:**

Qq-a-250/11-t6 or t4 federal specification single material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-a-8625 spec.