

View Online at <https://aerobasegroup.com/nsn/5340-01-335-6510>

Mounting Hole Type:

Plain

First Leg Length:

0.690 inches

Second Leg Length:

2.500 inches

Second Leg Width:

0.750 inches

Second Leg End Width:

Between 0.560 inches and 0.620 inches

First Leg Hole Diameter:

Between 0.187 inches and 0.193 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.380 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.350 inches

Second Leg Slot Length:

Between 0.360 inches and 0.400 inches

Second Leg Slot Width:

Between 0.297 inches and 0.303 inches

First Leg Thickness:

0.063 inches

Second Leg Thickness:

0.063 inches

First Leg Width:

0.760 inches

First Leg Distance From Edge To Hole Center Along Width:

0.380 inches

First Leg Distance From Edge To Hole Center Along Length:

0.260 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Chamfered ends

Second Leg Hole Arrangement Style:

One slot

Second Leg Relationship To First Leg:

Identical

First Leg Angle:

90.0 degrees

Second Leg Chamfer Angle:

Between 40.0 degrees and 50.0 degrees

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-250/11-t6 or t4 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-a-8625 spec.