

View Online at <https://aerobasegroup.com/nsn/5340-01-337-1035>

Mounting Hole Type:

Plain

First Leg Length:

2.780 inches

Second Leg Length:

2.780 inches

Second Leg Width:

1.880 inches

Second Leg End Width:

1.380 inches

First Leg Hole Diameter:

Between 0.404 inches and 0.416 inches

Second Leg Hole Diameter:

Between 0.404 inches and 0.416 inches

Second Leg Distance Between Hole Centers Along Width:

1.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.440 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.437 inches

First Leg Thickness:

0.875 inches

Second Leg Thickness:

0.875 inches

Center Section Height:

5.000 inches

Center Section Width:

1.880 inches

Center Section Thickness:

0.380 inches

First Leg Width:

1.880 inches

First Leg End Width:

1.380 inches

First Leg Distance From Edge To Hole Center Along Width:

0.440 inches

First Leg Distance From Edge To Hole Center Along Length:

0.432 inches

First Leg Style:

Chamfered ends

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Chamfered ends

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

First Leg Chamfer Angle:

45.0 degrees

Second Leg Chamfer Angle:

45.0 degrees

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-200/8 t6511 federal specification single material response

Surface Treatment:

Plastic polyurethane

Surface Treatment Specification:

Mil-c-46168 military specification single treatment response

Style Designator:

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-46168 spec.