
NSN 5340-01-340-0268

Double Angle Bracket - Page 1 of 2





Mounting Hole Type:
Plain
First Leg Length:
0.530 inches
Second Leg Length:
0.532 inches
First Leg Hole Diameter:
0.158 mils and 0.162 centimeters
Second Leg Hole Diameter:
0.158 mils and 0.162 centimeters
First Leg Thickness:
0.062 inches
Second Leg Thickness:
0.062 inches
Center Section Height:
0.750 inches
Center Section Width:
0.620 inches
Center Section Thickness:
0.062 inches
First Leg Width:
1.750 inches
First Leg Distance Between Hole Centers Along Width:
1.000 inches
First Leg Distance From Edge To Hole Center Along Width:
0.250 inches
First Leg Distance From Edge To Hole Center Along Length:
0.250 inches
First Leg Style:
Square
First Leg Hole Arrangement Style:
Two holes
Second Leg Hole Arrangement Style:
One hole
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Second Leg Angle:
90.0 degrees
Material:
Aluminum alloy 5052

NSN 5340-01-340-0268

Double Angle Bracket - Page 2 of 2



Material Specification: Qq-a-250/8-t32 federal specification single material response Surface Treatment: Chromate Surface Treatment Specification: Mil-c-5541 military specification single treatment response Style Designator: Double angle Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A042a0 Mil-std (military Standard): Mil-c-5541 spec.