## NSN 5340-01-341-3205

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-341-3205

Mounting Hole Type:
Plain
First Leg Length: 1.620 inches
Second Leg Length:
1.620 inches
Reinforcement Method (non-core):
Gusset both legs
First Leg Hole Diameter:
Between 0.552 inches and 0.572 inches
First Leg Thickness:
0.179 inches
Second Leg Thickness:
0.179 inches
Center Section Height:
Between 5.625 inches and 5.687 inches
Center Section Width:
6.664 inches
Center Section Thickness:
0.179 inches
First Leg Width:
6.664 inches
First Leg Distance Between Hole Centers Along Width:
5.414 inches
First Leg Distance From Edge To Hole Center Along Width:
0.625 inches
First Leg Distance From Edge To Hole Center Along Length:
0.620 inches
First Leg Style:
Square
First Leg Hole Arrangement Style:
Two holes
Second Leg Relationship To First Leg:
Identical
First Leg Angle:
0.19 radians
Second Leg Angle:
0.19 radians
Material:
Steel comp 1009
Material Specification:

Astm a569 assn standard single material response

## NSN 5340-01-341-3205

Double Angle Bracket - Page 2 of 2

Mil-std (military Standard):

Mil-c-46168 spec.



Surface Treatment:
Plastic polyurethane
Surface Treatment Specification:
Mil-c-46168 military specification single treatment response or mil-c-53039 military specification single treatment response
Style Designator:
Adjacent angles
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0