NSN 5340-01-341-4171

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-341-4171 **Mounting Hole Type:** Plain First Leg Length: 1.600 inches Second Leg Length: 1.600 inches First Leg Hole Diameter: Between 0.213 inches and 0.216 inches First Leg Thickness: 0.090 inches Second Leg Thickness: 0.090 inches **Center Section Height:** 21.000 inches **Center Section Width:** 2.500 inches **Center Section Thickness:** 0.090 inches First Leg Width: 2.500 inches First Leg Distance Between Hole Centers Along Width: 0.500 inches First Leg Distance From Edge To Hole Center Along Width: Between 1.045 inches and 1.075 inches First Leg Distance From Edge To Hole Center Along Length: 0.800 inches First Leg Style: First Leg Hole Arrangement Style: Two holes **Features Provided:** Second Leg Relationship To First Leg: Identical First Leg Angle: 0.09 radians Second Leg Angle: 0.09 radians

Center section has 3 holes, 0.280 in. Min and 0.289 in. Maximum dia, 9.000 in. Center to center distance between holes, 1.500 in. Distance from first hole to the end

Material:

Aluminum alloy 5052

Special Features:

NSN 5340-01-341-4171

Double Angle Bracket - Page 2 of 2



| Material Specification: | Mate | erial | Spe | cific | atio | n: |
|-------------------------|------|-------|-----|-------|------|----|
|-------------------------|------|-------|-----|-------|------|----|

Qq-a-250/8 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541, cl 1 military specification single treatment response

Style Designator:

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

Yes - demil/mli

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.