

View Online at <https://aerobasegroup.com/nsn/5340-01-344-5627>

Cross Sectional Shape:

Flat

Hole Diameter:

Between 0.261 inches and 0.266 inches

Edge Shape:

Rectangle, multi holes

Length:

21.750 inches

Hole Quantity Along Length:

20

Hole Quantity Along Width:

6

Body Thickness:

Between 0.250 inches and 0.260 inches

Securing Device Type:

Special

Mounting Opening Shape Style:

Unthreaded hole

End Application:

Lau 129a launcher

Special Features:

There are holes, 3 pl ns, 3pl fs w/dia 0.261 to 0.266 in., csk 100 degrees x 0.400 in. Diameter & holes 4 pl w/dia 0.261 to 0.266 in. Thru, csk 100 deg; item requires 8 solid rivets, p/n ms20426adc w/selected length iaw mil-std-403, referenced to pns ms20426ad3-5f through ms20426ad3-6f, and 2 gang channel nuts p/n 7002549-9

Material:

Aluminum alloy 7075

Material Specification:

Qq-200/11 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 2, class 1 military specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A531c0

Mil-std (military Standard):

Mil-a-8625 spec.