

View Online at <https://aerobasegroup.com/nsn/5340-01-347-6583>

**Mounting Hole Type:**

Plain

**Second Leg Length:**

2.075 inches

**End Application:**

Pacer dawn; engine, aircraft, f100-pw-220 (f-15c/d/e); engine, aircraft, f100-pw-100 (f-15a/b/c/d); helicopter, uh-60a/uh-60d; aircraft, f-16

**Second Leg End Width:**

0.602 inches

**First Leg Slot Length:**

0.490 inches

**First Leg Slot Width:**

0.215 inches

**Second Leg Hole Diameter:**

0.261 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.301 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

2.075 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.208 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.400 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

2 slots

**Second Leg Style:**

Angle

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Two slots in 1st leg; 2nd slot dims are .275 in. By .550 in.

**Material:**

Nickel alloy

**Material Specification:**

Ams5544 assn standard single material response

**Style Designator:**

Angle

**Fsc Application Data:**

Augmentor spray manifold

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A042a0