NSN 5340-01-348-2048

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-348-2048

, , , , , , , , , , , , , , , , , , ,
Mounting Hole Type:
Plain
First Leg Length:
4.500 inches
Second Leg Length:
7.620 inches
Second Leg Width:
7.500 inches
Second Leg End Width:
3.000 inches
First Leg Hole Diameter:
Between 0.201 inches and 0.213 inches
Second Leg Hole Diameter:
Between 0.201 inches and 0.213 inches
First Leg Thickness:
Between 0.168 inches and 0.212 inches
Second Leg Thickness:
Between 0.168 inches and 0.212 inches
First Leg Width:
7.500 inches
First Leg Distance Between Hole Centers Along Width:
6.500 inches
First Leg Distance Between Hole Centers Along Length:
3.500 inches
First Leg Distance From Edge To Hole Center Along Width:
0.500 inches
First Leg Distance From Edge To Hole Center Along Length:
0.500 inches
First Leg Style:
Square
First Leg Hole Arrangement Style:
Four holes
Second Leg Style:
Chamfered ends
Second Leg Hole Arrangement Style:
Three holes
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Second Leg Chamfer Angle:
Between 40.0 degrees and 50.0 degrees

NSN 5340-01-348-2048

Angle Bracket - Page 2 of 2

Mil-a-8625 spec.



Material:
Aluminum alloy 6061
Material Specification:
Qq-a-250/11 federal specification single material response
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8625, ty2, cl1 military specification single treatment response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):