

View Online at <https://aerobasegroup.com/nsn/5340-01-349-1864>

Mounting Hole Type:

Plain

First Leg Length:

0.600 inches

Second Leg Length:

2.600 inches

End Application:

Pacer dawn

Second Leg Width:

1.260 inches

Second Leg End Width:

0.750 inches

First Leg Hole Diameter:

0.235 inches

Second Leg Hole Diameter:

0.235 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.375 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Thickness:

0.060 inches

Second Leg Thickness:

0.060 inches

First Leg Width:

1.260 inches

First Leg Distance Between Hole Centers Along Width:

0.750 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square and tapered

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

135.0 degrees

Second Leg Offset Angle:

45.0 degrees

Material:

Titanium alloy uns r56400

Material Specification:

Ams4911 assn standard single material response

Style Designator:

Offset angle

Fsc Application Data:

Actuator, variable nozzle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0