

View Online at <https://aerobasegroup.com/nsn/5340-01-351-0313>

**Mounting Hole Type:**

Countersunk and plain

**First Leg Length:**

1.120 inches

**Second Leg Length:**

Between 1.180 inches and 1.200 inches

**Second Leg Width:**

Between 1.850 inches and 1.870 inches

**First Leg Hole Diameter:**

0.196 inches

**Second Leg Hole Diameter:**

0.640 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.440 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.750 inches

**First Leg Thickness:**

0.190 inches

**Second Leg Thickness:**

0.190 inches

**Center Section Height:**

2.410 inches

**Center Section Width:**

0.900 inches

**Center Section Thickness:**

0.190 inches

**First Leg Width:**

0.750 inches

**First Leg End Width:**

0.380 inches

**First Leg Distance Between Hole Centers Along Length:**

Between 0.550 inches and 0.557 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.300 inches

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

168.0 degrees

**Second Leg Angle:**

90.0 degrees

**First Leg Chamfer Angle:**

45.0 degrees

**Material:**

Aluminum alloy 6061

**Material Specification:**

Qq-a-327-t6 federal specification single material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625 military specification single treatment response

**Style Designator:**

Adjacent angles

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-a-8625 spec.