

View Online at <https://aerobasegroup.com/nsn/5340-01-352-6806>

**Mounting Hole Type:**

Plain

**First Leg Length:**

Between 0.550 inches and 0.630 inches

**Second Leg Length:**

Between 0.880 inches and 0.900 inches

**End Application:**

Pacer dawn

**Second Leg Width:**

Between 1.610 inches and 1.680 inches

**Second Leg End Width:**

Between 1.610 inches and 1.630 inches

**First Leg Hole Diameter:**

Between 0.204 inches and 0.212 inches

**Second Leg Hole Diameter:**

Between 0.101 inches and 0.103 inches

**Second Leg Distance Between Hole Centers Along Width:**

1.455 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.100 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

Between 0.430 inches and 0.450 inches

**First Leg Thickness:**

0.040 inches

**Second Leg Thickness:**

0.040 inches

**First Leg Width:**

Between 1.660 inches and 1.680 inches

**First Leg End Width:**

Between 1.062 inches and 1.082 inches

**First Leg Distance Between Hole Centers Along Width:**

0.892 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.390 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.210 inches

**First Leg Style:**

Square and tapered

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Chamfered ends

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Chamfer Angle:**

45.0 degrees

**Material:**

Stainless steel

**Material Specification:**

Ms 5510 assn standard single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0