

View Online at <https://aerobasegroup.com/nsn/5340-01-352-6809>

Mounting Hole Type:

Plain

First Leg Length:

0.880 inches

Second Leg Length:

2.880 inches

Second Leg Width:

4.120 inches

Second Leg End Width:

3.620 inches

First Leg Slot Length:

0.375 inches

First Leg Slot Width:

0.219 inches

Second Leg Hole Diameter:

Between 0.204 inches and 0.211 inches

Second Leg Distance Between Lower Hole Centers Along Width:

2.750 inches

Second Leg Distance Between Hole Centers Along Length:

1.250 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

1.375 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.690 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.763 inches

First Leg Thickness:

0.062 inches

Second Leg Thickness:

0.062 inches

First Leg Width:

4.120 inches

First Leg Distance Between Hole Centers Along Width:

3.250 inches

First Leg Distance From Edge To Hole Center Along Width:

0.440 inches

First Leg Distance From Edge To Hole Center Along Length:

0.440 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

2 slots

Second Leg Style:

Chamfered ends

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Chamfer Angle:

45.0 degrees

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250/8 h32 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541 cl 1a military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.