

View Online at <https://aerobasegroup.com/nsn/5340-01-352-8160>

Mounting Hole Type:

Plain

First Leg Length:

Between 0.630 inches and 0.750 inches

Second Leg Length:

Between 2.820 inches and 2.940 inches

Second Leg Width:

Between 0.940 inches and 1.060 inches

Second Leg Distance Between Hole Centers Along Length:

1.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.470 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.375 inches

Second Leg Slot Length:

Between 0.590 inches and 0.650 inches

Second Leg Slot Width:

Between 0.375 inches and 0.395 inches

First Leg Thickness:

0.1196 inches

Second Leg Thickness:

0.1196 inches

Center Section Height:

Between 1.280 inches and 1.400 inches

Center Section Width:

Between 0.940 inches and 1.060 inches

Center Section Thickness:

0.1196 inches

First Leg Width:

Between 0.940 inches and 1.060 inches

First Leg End Width:

Between 0.440 inches and 0.560 inches

First Leg Hole Arrangement Style:

No hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

2 slots

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 1009

Material Specification:

Stm a569 assn standard single material response or astm a366 assn standard single material response

Surface Treatment:

Cadmium and chromate or zinc

Surface Treatment Specification:

Qq-p-416 type 2 cl 2 federal specification 1st treatment response or astm b633 type 1 cl 2 assn standard 2nd treatment response

Style Designator:

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0