

View Online at <https://aerobasegroup.com/nsn/5340-01-353-9008>

**Mounting Hole Type:**

Threaded and plain

**First Leg Length:**

2.780 inches

**Second Leg Length:**

3.160 inches

**Second Leg Width:**

2.000 inches

**First Leg Hole Diameter:**

Between 0.749 inches and 0.751 inches

**Second Leg Hole Diameter:**

0.250 inches

**Second Leg Distance Between Hole Centers Along Width:**

1.375 inches

**Second Leg Distance Between Hole Centers Along Length:**

1.375 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.312 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.285 inches

**First Leg Thickness:**

0.407 inches

**Second Leg Thickness:**

0.428 inches

**Center Section Height:**

4.500 inches

**Center Section Width:**

2.000 inches

**Center Section Thickness:**

Between 0.460 inches and 0.480 inches

**First Leg Width:**

2.000 inches

**First Leg Distance From Edge To Hole Center Along Width:**

1.000 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.590 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Angle:**

90.0 degrees

**Special Features:**

0.7485-0.7505 in. Diameter hole with 1.50-1.56 in. Diameter bore surrounding the hole which is centrally located between the two mounting holes in the second leg; optional material: investment casting, ic-1020 or ic-1030, normalized, mil-s-22141; apply solid film lubricant per mil-l-46010 as final surface treatment; 0.752-0.762 in. Dia hole located in center section

**Material:**

Steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1013 or steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1021 or steel comp 1022 or steel comp 1023 or steel comp 1025

**Material Specification:**

Astm a576 assn standard all material responses

**Surface Treatment:**

Cadmium and chromate and paint

**Surface Treatment Specification:**

Qq-p-416, type 2, cl 3 federal specification 1st treatment response and qq-p-416, type 2, cl 3 federal specification 2nd treatment response and tt-c-490, type 3 federal specification 3rd treatment response

**Style Designator:**

Adjacent angles

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0