

View Online at <https://aerobasegroup.com/nsn/5340-01-355-0141>

Mounting Hole Type:

Plain and threaded

First Leg Length:

3.500 inches

Second Leg Length:

Between 5.630 inches and 5.870 inches

Second Leg Width:

Between 1.190 inches and 1.310 inches

First Leg Slot Length:

Between 0.940 inches and 1.060 inches

First Leg Slot Width:

Between 0.370 inches and 0.440 inches

Second Leg Hole Diameter:

0.250 inches

Second Leg Distance Between Hole Centers Along Length:

4.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.625 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

Center Section Height:

Between 2.660 inches and 2.900 inches

Center Section Width:

Between 1.190 inches and 1.231 inches

Center Section Thickness:

0.250 inches

First Leg Width:

Between 1.190 inches and 1.310 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.560 inches and 0.680 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.190 inches and 0.310 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One slot

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

66.0 degrees

Second Leg Angle:

90.0 degrees

Material:

Steel or steel comp m1020

Material Specification:

Astma36 assn standard 1st material response or astma575 assn standard 2nd material response

Style Designator:

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0