

View Online at <https://aerobasegroup.com/nsn/5340-01-355-1487>

Mounting Hole Type:

Plain

First Leg Length:

Between 1.630 inches and 1.750 inches

Second Leg Length:

Between 5.000 inches and 5.240 inches

First Leg Slot Length:

Between 0.470 inches and 0.530 inches

First Leg Slot Width:

Between 0.250 inches and 0.310 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

7.500 inches

Second Leg Distance Between Second And Third Hole Centers Along Width:

7.500 inches

Second Leg Distance From Edge To Hole Center Along Width:

4.250 inches

Second Leg Slot Length:

Between 0.595 inches and 0.655 inches

Second Leg Slot Width:

Between 0.342 inches and 0.402 inches

Second Leg Distance Between Third And Fourth Hole Centers Along Width:

7.500 inches

First Leg Thickness:

0.190 inches

Second Leg Thickness:

0.190 inches

First Leg Width:

Between 30.880 inches and 31.120 inches

First Leg Distance From Edge To Hole Center Along Width:

4.219 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

2 slots

Second Leg Hole Arrangement Style:

4 slots

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

Between 147.0 degrees and 153.0 degrees

Material:

Aluminum alloy 5052 or aluminum alloy 6061 or aluminum alloy 5086

Material Specification:

Qq-a-250/8 h32 federal specification 1st material response or qq-a-250/11 t6 federal specification 2nd material response or qq-a-250/7 h32 federal specification 3rd material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0