
Angle Bracket - Page 1 of 2





Mounting Hole Type:
Plain
First Leg Length:
0.562 inches
Second Leg Length:
0.625 inches
Second Leg Width:
0.875 inches
Second Leg Corner Radius:
0.188 inches
First Leg Hole Diameter:
Between 0.146 inches and 0.152 inches
Second Leg Hole Diameter:
Between 0.146 inches and 0.152 inches
Second Leg Distance Between Hole Centers Along Width:
0.500 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.188 inches
Second Leg Distance From Edge To Hole Center Along Length:
0.219 inches
First Leg Thickness:
0.040 inches
Second Leg Thickness:
0.040 inches
First Leg Width:
0.875 inches
First Leg Corner Radius:
0.188 inches
First Leg Distance From Edge To Hole Center Along Width:
0.438 inches
First Leg Distance From Edge To Hole Center Along Length:
0.250 inches
First Leg Style:
Corner radius
First Leg Hole Arrangement Style:
One hole
Second Leg Style:
Corner radius
Second Leg Hole Arrangement Style:
Two holes
Second Leg Relationship To First Leg:
Not identical

NSN 5340-01-357-8667

Angle Bracket - Page 2 of 2



First Leg Angle:

90.0 degrees

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-250/4 t62 federal specification single material response

Surface Treatment:

Anodize

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A042a0