

View Online at <https://aerobasegroup.com/nsn/5340-01-358-6697>

Mounting Hole Type:

Countersunk

First Leg Length:

1.250 inches

Second Leg Length:

3.500 inches

Second Leg Width:

3.000 inches

First Leg Hole Diameter:

0.344 inches

Second Leg Hole Diameter:

0.188 inches

Second Leg Distance Between Hole Centers Along Width:

1.750 inches

Second Leg Distance Between Hole Centers Along Length:

1.750 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.625 inches

Second Leg Distance From Edge To Hole Center Along Length:

1.625 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

Center Section Height:

1.000 inches

Center Section Width:

3.000 inches

Center Section Thickness:

0.250 inches

First Leg Width:

3.000 inches

First Leg Distance Between Hole Centers Along Width:

2.000 inches

First Leg Distance From Edge To Hole Center Along Width:

0.500 inches

First Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Special Features:

2.062 in. Aperture centrally located between the four mounting holes on the second leg; one 0.188 in. Hole located on second leg

Material:

Aluminum alloy 5083 or aluminum alloy 5052

Material Specification:

Qq-a-250/6 federal specification 1st material response or astm b209 assn standard 1st material response or qq-a-250/8 federal specification
2nd material response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0