Angle Bracket - Page 1 of 2





Mounting Hole Type:
Plain
First Leg Length:
2.000 inches
Second Leg Length:
2.500 inches
Reinforcement Method (non-core):
Gusset both legs
Second Leg Width:
2.820 inches
First Leg Hole Diameter:
0.344 inches
Second Leg Distance From Edge To Hole Center Along Width:
1.410 inches
Second Leg Distance From Edge To Hole Center Along Length:
1.125 inches
Second Leg Slot Length:
0.562 inches
Second Leg Slot Width:
0.406 inches
First Leg Thickness:
0.1196 inches
Second Leg Thickness:
0.1196 inches
First Leg Width:
2.6408 inches
First Leg Distance Between Hole Centers Along Width:
1.500 inches
First Leg Distance From Edge To Hole Center Along Width:
0.680 inches
First Leg Distance From Edge To Hole Center Along Length:
0.469 inches
First Leg Style:
Square
First Leg Hole Arrangement Style:
Two holes
Second Leg Style:
Square
Second Leg Hole Arrangement Style:
One slot
Second Leg Relationship To First Leg:
Not identical

## NSN 5340-01-359-8933

Angle Bracket - Page 2 of 2



First Leg Angle:

Between 85.0 degrees and 86.0 degrees

## Material:

Steel comp 1009

## Material Specification:

Astm a569 assn standard single material response or astm a366 assn standard single material response

Style Designator: Angle Shelf Life: N/a Unit Of Measure: --Demilitarization:

No

Fiig:

A042a0