

View Online at <https://aerobasegroup.com/nsn/5340-01-361-1208>

**Mounting Hole Type:**

Plain

**First Leg Length:**

2.030 inches

**Second Leg Length:**

3.340 inches

**Second Leg Width:**

1.300 inches

**First Leg Slot Length:**

0.750 inches

**First Leg Slot Width:**

0.406 inches

**Second Leg Distance Between Hole Centers Along Length:**

1.250 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.625 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

1.350 inches

**Second Leg Slot Length:**

0.750 inches

**Second Leg Slot Width:**

0.406 inches

**First Leg Thickness:**

0.250 inches

**Second Leg Thickness:**

0.250 inches

**First Leg Width:**

1.250 inches

**First Leg Corner Radius:**

0.120 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.625 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.620 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

One slot

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

2 slots

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

Between 87.0 degrees and 93.0 degrees

**Material:**

Steel

**Material Specification:**

Astm 635 assn standard single material response or astm 576 assn standard single material response

**Surface Treatment:**

Paint

**Surface Treatment Specification:**

Mil-c-46168 military specification single treatment response or mil-c-53039 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-c-46168 spec.