

View Online at <https://aerobasegroup.com/nsn/5340-01-361-9131>

Mounting Hole Type:

Plain

First Leg Length:

0.500 inches

Second Leg Length:

0.500 inches

Second Leg Width:

2.500 inches

First Leg Hole Diameter:

Between 0.135 inches and 0.140 inches

Second Leg Hole Diameter:

Between 0.135 inches and 0.140 inches

Second Leg Distance From Edge To Hole Center Along Width:

1.250 inches

Second Leg Distance From Edge To Hole Center Along Length:

1.440 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

Center Section Height:

2.500 inches

Center Section Width:

0.810 inches

Center Section Thickness:

0.125 inches

First Leg Width:

2.500 inches

First Leg Distance Between Upper Hole Centers Along Width:

Between 1.640 inches and 1.700 inches

First Leg Distance Between First And Second Hole Centers Along Width:

0.835 inches

First Leg Distance From Edge To Hole Center Along Length:

0.187 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Three holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

0.190 radians

Second Leg Angle:

0.190 radians

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250/8 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 2, class 1 military specification single treatment response

Style Designator:

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-a-8625 spec.