

View Online at <https://aerobasegroup.com/nsn/5340-01-364-4347>

Mounting Hole Type:

Countersunk and plain

First Leg Length:

1.280 inches

Second Leg Length:

2.450 inches

Second Leg Width:

2.040 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

0.344 inches

Second Leg Distance Between Second And Third Hole Centers Along Width:

0.344 inches

First Leg Thickness:

Between 0.115 inches and 0.135 inches

Second Leg Thickness:

Between 0.115 inches and 0.135 inches

Center Section Height:

1.475 inches

Center Section Width:

2.040 inches

Center Section Thickness:

Between 0.115 inches and 0.135 inches

First Leg Width:

2.040 inches

First Leg End Width:

1.200 inches

First Leg Distance Between First And Second Hole Centers Along Width:

0.500 inches

First Leg Distance Between Second And Third Hole Centers Along Width:

0.500 inches

Second Leg End Radius:

1.020 inches

First Leg Style:

Chamfered ends

First Leg Hole Arrangement Style:

Three holes

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

Three holes

Features Provided:

Nut

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-225/6 t351 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541 cl1a military specification single treatment response

Style Designator:

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.