

View Online at <https://aerobasegroup.com/nsn/5340-01-365-3255>

First Leg Length:

Between 4.610 inches and 4.730 inches

Second Leg Length:

4.610 inches

Second Leg Width:

4.700 inches

First Leg Hole Diameter:

Between 0.102 inches and 0.108 inches

Second Leg Distance Between Hole Centers Along Width:

3.500 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.725 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.200 inches

First Leg Thickness:

0.060 inches

Second Leg Thickness:

0.060 inches

First Leg Width:

Between 0.360 inches and 0.380 inches

First Leg Distance Between First And Second Hole Centers Along Width:

1.750 inches

First Leg Distance Between Second And Third Hole Centers Along Width:

1.750 inches

First Leg Distance From Edge To Hole Center Along Width:

0.600 inches

First Leg Distance From Edge To Hole Center Along Length:

0.145 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Three holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Holes on second leg are oblong

Material:

Aluminum alloy 6063

Material Specification:

Qq-a-200/9t5 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.