

View Online at <https://aerobasegroup.com/nsn/5340-01-369-6137>

Thread Class:

2b left internal (includes through thread)2a right external

Thread Direction:

Right-hand left internal (includes through thread)right-hand right external

Thread Length:

0.500 inches left internal (includes through thread)0.371 inches and 0.379 inches right external

Length:

Between 0.995 inches and 1.005 inches

Cross-sectional Shape:

Hexagon

Width Across Flats:

Between 0.369 inches and 0.381 inches

Thready Qty Per Inch (tpi):

32 left internal (includes through thread)32 right external

Thread Size:

0.190 inches left internal (includes through thread)0.190 inches right external

Right Projection Diameter:

0.190 inches

Right Projection Length:

Between 0.371 inches and 0.379 inches

Material:

Aluminum alloy 2011 or aluminum alloy 2024 or aluminum alloy 6061

Material Specification:

Qq-a-225/3 t4 federal specification 1st material response or qq-a-225/6 t4 federal specification 2nd material response or qq-a-225/8 t6 federal specification 3rd material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 1 or 2, cl 1 military specification single treatment response

Style Designator:

Left internal and right external thread

Thread Series Designator:

Unf left internal (includes through thread)unf right external

Specification Data:

80205-nas1829 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A08900

Mil-std (military Standard):

Mil-a-8625 spec.