

View Online at <https://aerobasegroup.com/nsn/5340-01-369-6137>

**Thread Class:**

2b left internal (includes through thread)2a right external

**Thread Direction:**

Right-hand left internal (includes through thread)right-hand right external

**Thread Length:**

0.500 inches left internal (includes through thread)0.371 inches and 0.379 inches right external

**Length:**

Between 0.995 inches and 1.005 inches

**Cross-sectional Shape:**

Hexagon

**Width Across Flats:**

Between 0.369 inches and 0.381 inches

**Thready Qty Per Inch (tpi):**

32 left internal (includes through thread)32 right external

**Thread Size:**

0.190 inches left internal (includes through thread)0.190 inches right external

**Right Projection Diameter:**

0.190 inches

**Right Projection Length:**

Between 0.371 inches and 0.379 inches

**Material:**

Aluminum alloy 2011 or aluminum alloy 2024 or aluminum alloy 6061

**Material Specification:**

Qq-a-225/3 t4 federal specification 1st material response or qq-a-225/6 t4 federal specification 2nd material response or qq-a-225/8 t6 federal specification 3rd material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, type 1 or 2, cl 1 military specification single treatment response

**Style Designator:**

Left internal and right external thread

**Thread Series Designator:**

Unf left internal (includes through thread)unf right external

**Specification Data:**

80205-nas1829 professional/industrial association standard

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A08900

**Mil-std (military Standard):**

Mil-a-8625 spec.