## NSN 5340-01-371-9882

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-371-9882

First Leg Length:

Between 113.0 millimeters and 114.6 millimeters

Second Leg Length:

159.4 millimeters

Second Leg Width:

Between 157.9 millimeters and 159.5 millimeters

First Leg Hole Diameter:

Between 17.2 millimeters and 17.5 millimeters

Second Leg Hole Diameter:

Between 9.0 millimeters and 10.0 millimeters

Second Leg Distance Between Lower Hole Centers Along Width:

120.6 millimeters

Second Leg Distance Between Hole Centers Along Length:

25.4 major inches

Second Leg Distance Between First And Second Hole Centers Along Width:

60.3 millimeters

Second Leg Distance From Edge To Hole Center Along Width:

28.6 millimeters

Second Leg Distance From Edge To Hole Center Along Length:

74.6 millimeters

First Leg Thickness:

6.0 millimeters

Second Leg Thickness:

6.0 millimeters

First Leg Width:

Between 113.5 millimeters and 115.1 millimeters

First Leg End Width:

Between 50.7 millimeters and 52.3 millimeters

First Leg Distance Between Hole Centers Along Width:

120.0 millimeters

First Leg Distance Between Hole Centers Along Length:

60.0 millimeters

First Leg Distance From Edge To Hole Center Along Width:

21.6 millimeters

First Leg Distance From Edge To Hole Center Along Length:

19.7 millimeters

First Leg Style:

Angle

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

## NSN 5340-01-371-9882

Angle Bracket - Page 2 of 2



Second Leg Hole Arrangement Style:
Three holes
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
Between 6.2 radians and 7.8 radians
Special Features:
Mil-c-46168 or mil-c-53039, color 383 green
Material:
Steel
Material Specification:
Astm a715, gr 50 assn standard single material response
Surface Treatment:
Paint
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):

Mil-c-46168 spec.