

View Online at <https://aerobasegroup.com/nsn/5340-01-373-0438>

**Mounting Hole Type:**

Countersunk and plain

**First Leg Length:**

Between 0.570 inches and 0.630 inches

**Second Leg Length:**

Between 1.360 inches and 1.400 inches

**Second Leg Width:**

Between 1.570 inches and 1.630 inches

**First Leg Hole Diameter:**

Between 0.159 inches and 0.164 inches

**Second Leg Hole Diameter:**

Between 0.098 inches and 0.102 inches

**Second Leg Distance Between Hole Centers Along Width:**

0.500 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.550 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.350 inches

**First Leg Thickness:**

Between 0.057 inches and 0.069 inches

**Second Leg Thickness:**

Between 0.057 inches and 0.069 inches

**First Leg Width:**

Between 2.170 inches and 2.230 inches

**First Leg Distance Between Hole Centers Along Width:**

Between 1.598 inches and 1.602 inches

**First Leg Distance From Edge To Hole Center Along Width:**

Between 0.290 inches and 0.310 inches

**First Leg Distance From Edge To Hole Center Along Length:**

Between 0.248 inches and 0.252 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**Features Provided:**

Nut

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

Between 139.0 degrees and 141.0 degrees

**Material:**

Titanium alloy uns r56400

**Material Specification:**

Ams 4911 assn standard single material response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0