

View Online at <https://aerobasegroup.com/nsn/5340-01-373-0439>

Mounting Hole Type:

Countersunk and plain

First Leg Length:

Between 0.570 inches and 0.630 inches

Second Leg Length:

Between 1.430 inches and 1.470 inches

Second Leg Width:

Between 1.570 inches and 1.630 inches

First Leg Hole Diameter:

Between 0.159 inches and 0.164 inches

Second Leg Hole Diameter:

Between 0.098 inches and 0.102 inches

Second Leg Distance Between Hole Centers Along Width:

0.500 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.550 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.355 inches

First Leg Thickness:

Between 0.057 inches and 0.069 inches

Second Leg Thickness:

Between 0.057 inches and 0.069 inches

First Leg Width:

Between 2.170 inches and 2.230 inches

First Leg Distance Between Hole Centers Along Width:

Between 1.598 inches and 1.602 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.290 inches and 0.310 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.248 inches and 0.252 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Features Provided:

Nut

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

Between 142.78 degrees and 144.78 degrees

Material:

Titanium alloy uns r56400

Material Specification:

Ams 4911 assn standard single material response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0