

View Online at <https://aerobasegroup.com/nsn/5340-01-373-4931>

First Leg Length:

0.280 inches

Second Leg Length:

0.500 inches

Second Leg Width:

2.380 inches

First Leg Hole Diameter:

Between 0.067 inches and 0.072 inches

Second Leg Hole Diameter:

0.213 inches

Second Leg Distance Between Hole Centers Along Width:

0.875 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.250 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.190 inches

First Leg Thickness:

0.062 inches

Second Leg Thickness:

0.062 inches

First Leg Width:

2.380 inches

First Leg Distance Between First And Second Hole Centers Along Width:

1.062 inches

First Leg Distance Between Second And Third Hole Centers Along Width:

0.766 inches

First Leg Distance From Edge To Hole Center Along Width:

0.080 inches

First Leg Distance From Edge To Hole Center Along Length:

0.093 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Three holes

Second Leg Style:

Cut out

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Cutout Length:

0.280 inches

Second Leg Cutout Width:

1.000 inches

Special Features:

Second leg cut-a-way 1.000 inch from edge along width

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250/8, h32 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541, cl 1a military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.