

View Online at <https://aerobasegroup.com/nsn/5340-01-373-4932>

**Mounting Hole Type:**

Plain

**First Leg Length:**

0.620 inches

**Second Leg Length:**

1.750 inches

**Second Leg Width:**

2.750 inches

**Second Leg Corner Radius:**

0.120 inches

**First Leg Hole Diameter:**

Between 0.149 inches and 0.159 inches

**Second Leg Hole Diameter:**

Between 0.290 inches and 0.293 inches

**Second Leg Distance Between Upper Hole Centers Along Width:**

0.900 inches

**Second Leg Distance Between Lower Hole Centers Along Width:**

0.850 inches

**Second Leg Distance Between Hole Centers Along Length:**

0.810 inches

**Second Leg Distance Between First And Second Hole Centers Along Width:**

0.050 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

1.350 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.440 inches

**First Leg Thickness:**

0.062 inches

**Second Leg Thickness:**

0.062 inches

**First Leg Width:**

2.750 inches

**First Leg Corner Radius:**

0.120 inches

**First Leg Distance Between Hole Centers Along Width:**

2.000 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.380 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.240 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Corner radius

**Second Leg Hole Arrangement Style:**

Four holes

**Features Provided:**

Nut

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Aluminum alloy 5052

**Material Specification:**

Qq-a-250/8 h34 federal specification single material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-c-5541 cl 1a military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.