# NSN 5340-01-373-5070

Spacing Threaded Standoff - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-373-5070

#### **Thread Class:**

3b left internal (includes through thread)3b right internal

#### **Thread Direction:**

Right-hand left internal (includes through thread)left-hand right internal

# Thread Length:

1.380 inches left internal (includes through thread)1.380 inches right internal

#### **Hole Diameter:**

Between 0.123 inches and 0.129 inches

#### Length:

2.625 inches

#### **Cross-sectional Length:**

Between 0.235 inches and 0.255 inches

#### **Cross-sectional Width:**

Between 0.865 inches and 0.877 inches

## **Cross-sectional Shape:**

Rectangular

#### **Distance From End To Hole Center:**

0.710 inches

#### **Distance Between Hole Centers:**

2.160 inches

# Thready Qty Per Inch (tpi):

18 left internal (includes through thread)18 right internal

# **Hole Quantity Perpendicular To Axis:**

2

# **Thread Size:**

0.625 inches left internal (includes through thread)0.625 inches right internal

# **Right Projection Diameter:**

Between 0.865 inches and 0.877 inches

#### **Right Projection Length:**

Between 0.235 inches and 0.255 inches

### Material:

Nickel alloy

# **Material Specification:**

B50tf15 cl c, cagec 07482 mfr ref single material response

# **Style Designator:**

Projection one end left and right internal threads

# **Thread Series Designator:**

Unjf left internal (includes through thread)unjf right internal

# Shelf Life:

N/a

#### **Unit Of Measure:**

--

# NSN 5340-01-373-5070

Spacing Threaded Standoff - Page 2 of 2



Demilitarization:

No

Fiig:

A08900