

View Online at <https://aerobasegroup.com/nsn/5340-01-374-0414>

**Mounting Hole Diameter:**

Between 0.276 inches and 0.286 inches

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.190 inches

**Second Leg Length:**

2.250 inches

**Second Leg Width:**

1.830 inches

**First Leg Hole Diameter:**

Between 0.276 inches and 0.286 inches

**Second Leg Distance Between Hole Centers Along Length:**

1.425 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.415 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

1.080 inches

**Second Leg Slot Length:**

0.800 inches

**Second Leg Slot Width:**

Between 0.271 inches and 0.291 inches

**First Leg Thickness:**

0.190 inches

**Second Leg Thickness:**

0.190 inches

**First Leg Width:**

2.250 inches

**First Leg Distance Between Hole Centers Along Width:**

1.438 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.406 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.690 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

2 slots

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

Between 190.0 degrees and 220.0 degrees

**Material:**

Aluminum alloy 1100

**Material Specification:**

Qq-a-250/1 federal specification single material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Mil-c-5541 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.