

View Online at <https://aerobasegroup.com/nsn/5340-01-374-0414>

Mounting Hole Diameter:

Between 0.276 inches and 0.286 inches

Mounting Hole Type:

Plain

First Leg Length:

1.190 inches

Second Leg Length:

2.250 inches

Second Leg Width:

1.830 inches

First Leg Hole Diameter:

Between 0.276 inches and 0.286 inches

Second Leg Distance Between Hole Centers Along Length:

1.425 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.415 inches

Second Leg Distance From Edge To Hole Center Along Length:

1.080 inches

Second Leg Slot Length:

0.800 inches

Second Leg Slot Width:

Between 0.271 inches and 0.291 inches

First Leg Thickness:

0.190 inches

Second Leg Thickness:

0.190 inches

First Leg Width:

2.250 inches

First Leg Distance Between Hole Centers Along Width:

1.438 inches

First Leg Distance From Edge To Hole Center Along Width:

0.406 inches

First Leg Distance From Edge To Hole Center Along Length:

0.690 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

2 slots

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

Between 190.0 degrees and 220.0 degrees

Material:

Aluminum alloy 1100

Material Specification:

Qq-a-250/1 federal specification single material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Mil-c-5541 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.