

View Online at <https://aerobasegroup.com/nsn/5340-01-374-1140>

Mounting Hole Type:

Plain and threaded

First Leg Length:

3.795 inches

Second Leg Length:

Between 4.090 inches and 4.130 inches

Second Leg Width:

Between 1.470 inches and 1.530 inches

Second Leg Hole Diameter:

0.500 inches

Second Leg Distance Between Hole Centers Along Length:

2.750 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.750 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.510 inches

First Leg Thickness:

Between 0.720 inches and 0.780 inches

Second Leg Thickness:

Between 0.720 inches and 0.780 inches

First Leg Width:

Between 1.470 inches and 1.530 inches

First Leg Distance Between Hole Centers Along Length:

1.470 inches

First Leg Distance From Edge To Hole Center Along Width:

0.750 inches

First Leg Distance From Edge To Hole Center Along Length:

1.000 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel comp 4130

Surface Treatment:

Nickel

Surface Treatment Specification:

Ams 2404 assn standard single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0