

View Online at <https://aerobasegroup.com/nsn/5340-01-374-4540>

Mounting Hole Diameter:

0.406 inches

First Leg Length:

5.950 inches

Second Leg Length:

6.340 inches

Second Leg Width:

2.910 inches

Second Leg Corner Radius:

0.500 inches

First Leg Hole Diameter:

0.250 inches

Second Leg Hole Diameter:

0.250 inches

Second Leg Distance Between Hole Centers Along Width:

5.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.500 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

Center Section Height:

4.620 inches

Center Section Width:

2.000 inches

Center Section Thickness:

0.250 inches

First Leg Width:

1.000 inches

First Leg Distance Between Hole Centers Along Width:

3.950 inches

First Leg Distance From Edge To Hole Center Along Width:

0.500 inches

First Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg End Radius:

0.500 inches

First Leg Style:

End radius

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Material:

Steel

Material Specification:

Astma36 assn standard single material response

Surface Treatment:

Phosphate zinc

Surface Treatment Specification:

Mil-std-171 5.1.1 military specification single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-std-171 spec.