

View Online at <https://aerobasegroup.com/nsn/5340-01-375-7187>

**Mounting Hole Type:**

Plain

**First Leg Length:**

3.000 inches

**Second Leg Length:**

4.620 inches

**Second Leg Width:**

2.620 inches

**First Leg Hole Diameter:**

Between 0.220 inches and 0.240 inches

**Second Leg Hole Diameter:**

Between 0.280 inches and 0.300 inches

**Second Leg Distance Between Hole Centers Along Width:**

1.625 inches

**Second Leg Distance Between Hole Centers Along Length:**

2.500 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.500 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.500 inches

**First Leg Thickness:**

0.125 inches

**Second Leg Thickness:**

0.125 inches

**First Leg Width:**

0.880 inches

**First Leg End Width:**

0.780 inches

**First Leg Distance Between Hole Centers Along Length:**

1.500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.300 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.560 inches

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Four holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Aluminum alloy 6061 or aluminum alloy 5052 or aluminum alloy 5086

**Material Specification:**

Qq-a-250/11 t6 federal specification 1st material response or qq-a-250/8 h34 federal specification 2nd material response or qq-a-250/7 h112 federal specification 3rd material response

**Surface Treatment:**

Enamel

**Surface Treatment Specification:**

Tt-e-529 federal specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0