

View Online at <https://aerobasegroup.com/nsn/5340-01-375-7187>

Mounting Hole Type:

Plain

First Leg Length:

3.000 inches

Second Leg Length:

4.620 inches

Second Leg Width:

2.620 inches

First Leg Hole Diameter:

Between 0.220 inches and 0.240 inches

Second Leg Hole Diameter:

Between 0.280 inches and 0.300 inches

Second Leg Distance Between Hole Centers Along Width:

1.625 inches

Second Leg Distance Between Hole Centers Along Length:

2.500 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.500 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

First Leg Width:

0.880 inches

First Leg End Width:

0.780 inches

First Leg Distance Between Hole Centers Along Length:

1.500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.300 inches

First Leg Distance From Edge To Hole Center Along Length:

0.560 inches

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Aluminum alloy 6061 or aluminum alloy 5052 or aluminum alloy 5086

Material Specification:

Qq-a-250/11 t6 federal specification 1st material response or qq-a-250/8 h34 federal specification 2nd material response or qq-a-250/7 h112 federal specification 3rd material response

Surface Treatment:

Enamel

Surface Treatment Specification:

Tt-e-529 federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0