

View Online at <https://aerobasegroup.com/nsn/5340-01-375-7188>

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.500 inches

**Second Leg Length:**

2.500 inches

**Second Leg Width:**

2.760 inches

**First Leg Hole Diameter:**

Between 0.420 inches and 0.460 inches

**Second Leg Hole Diameter:**

Between 0.420 inches and 0.460 inches

**Second Leg Distance Between Hole Centers Along Width:**

1.000 inches

**Second Leg Distance Between Hole Centers Along Length:**

1.000 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.760 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.500 inches

**First Leg Thickness:**

0.250 inches

**Second Leg Thickness:**

0.250 inches

**First Leg Width:**

2.760 inches

**First Leg Distance Between Hole Centers Along Width:**

1.000 inches

**First Leg Distance From Edge To Hole Center Along Width:**

1.250 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.380 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

One corner beveled on second leg, 0.500 in. By 45.0 deg

**Material:**

Aluminum alloy 6061 or aluminum alloy 6063

**Material Specification:**

Qq-a-200/8 t6 federal specification 1st material response or qq-a-200/9 t5 federal specification 2nd material response

**Surface Treatment:**

Enamel

**Surface Treatment Specification:**

Mil-e-529 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-e-529 spec.