

View Online at <https://aerobasegroup.com/nsn/5340-01-375-7188>

Mounting Hole Type:

Plain

First Leg Length:

1.500 inches

Second Leg Length:

2.500 inches

Second Leg Width:

2.760 inches

First Leg Hole Diameter:

Between 0.420 inches and 0.460 inches

Second Leg Hole Diameter:

Between 0.420 inches and 0.460 inches

Second Leg Distance Between Hole Centers Along Width:

1.000 inches

Second Leg Distance Between Hole Centers Along Length:

1.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.760 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Thickness:

0.250 inches

Second Leg Thickness:

0.250 inches

First Leg Width:

2.760 inches

First Leg Distance Between Hole Centers Along Width:

1.000 inches

First Leg Distance From Edge To Hole Center Along Width:

1.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.380 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

One corner beveled on second leg, 0.500 in. By 45.0 deg

Material:

Aluminum alloy 6061 or aluminum alloy 6063

Material Specification:

Qq-a-200/8 t6 federal specification 1st material response or qq-a-200/9 t5 federal specification 2nd material response

Surface Treatment:

Enamel

Surface Treatment Specification:

Mil-e-529 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-e-529 spec.