

View Online at <https://aerobasegroup.com/nsn/5340-01-377-0296>

**First Leg Length:**

Between 91.2 millimeters and 92.8 millimeters

**Second Leg Length:**

116.0 millimeters

**Second Leg Width:**

Between 69.2 millimeters and 70.8 millimeters

**Second Leg Hole Diameter:**

Between 6.2 millimeters and 6.8 millimeters

**Second Leg Distance Between Hole Centers Along Width:**

Between 45.7 millimeters and 46.3 millimeters

**Second Leg Distance From Edge To Hole Center Along Width:**

Between 11.7 millimeters and 12.3 millimeters

**Second Leg Distance From Edge To Hole Center Along Length:**

12.0 millimeters

**First Leg Thickness:**

0.120 inches

**Second Leg Thickness:**

0.120 inches

**Center Section Height:**

Between 109.1 millimeters and 110.3 millimeters

**Center Section Width:**

Between 69.2 millimeters and 70.8 millimeters

**Center Section Thickness:**

0.120 inches

**First Leg Width:**

Between 69.2 millimeters and 70.8 millimeters

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

No hole

**Second Leg Style:**

Extended flat

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**Special Features:**

Center section accommodates a 53.8mm dia. Cutout; and four 5.5mm dia. Mounting holes

**Material:**

Steel comp 1009

**Material Specification:**

Astm a569 assn standard single material response or astm a366 assn standard single material response

**Surface Treatment:**

Plastic polyurethane

**Surface Treatment Specification:**

Mil-c-46168 military specification single treatment response

**Style Designator:**

Adjacent angles

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-46168 spec.