

View Online at <https://aerobasegroup.com/nsn/5340-01-377-0807>

Mounting Hole Type:

Plain

First Leg Length:

65.0 millimeters

Second Leg Length:

100.0 millimeters

Second Leg Width:

210.0 millimeters

First Leg Hole Diameter:

17.5 millimeters

Second Leg Hole Diameter:

16.0 millimeters

Second Leg Distance From Edge To Hole Center Along Width:

25.0 millimeters

Second Leg Distance From Edge To Hole Center Along Length:

25.0 millimeters

First Leg Thickness:

8.0 millimeters

Second Leg Thickness:

8.0 millimeters

First Leg Width:

65.0 millimeters

First Leg End Width:

38.0 millimeters

First Leg Distance Between Hole Centers Along Width:

123.8 millimeters

First Leg Distance From Edge To Hole Center Along Width:

29.8 millimeters

First Leg Distance From Edge To Hole Center Along Length:

32.8 millimeters

Second Leg End Radius:

25.0 millimeters

First Leg Style:

Angle

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Opposite p/n 1214383; 2nd leg tapered right to 35.0 mm

Material:

Steel

Material Specification:

Astm a572 gr 50 assn standard single material response

Surface Treatment:

Plastic polyurethane

Surface Treatment Specification:

Mil-c-46168 military specification single treatment response or mil-c-53039 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-c-46168 spec.