

View Online at <https://aerobasegroup.com/nsn/5340-01-377-0977>

First Leg Length:

55.0 millimeters

Second Leg Length:

59.0 millimeters

Second Leg Width:

67.0 millimeters

First Leg Hole Diameter:

Between 9.0 millimeters and 10.0 millimeters

Second Leg Hole Diameter:

Between 9.0 millimeters and 10.0 millimeters

Second Leg Distance From Edge To Hole Center Along Width:

Between 14.3 millimeters and 16.3 millimeters

Second Leg Distance From Edge To Hole Center Along Length:

Between 32.5 millimeters and 34.5 millimeters

First Leg Thickness:

0.164 inches

Second Leg Thickness:

0.164 inches

Center Section Height:

64.0 millimeters

Center Section Width:

67.0 millimeters

Center Section Thickness:

0.164 inches

First Leg Width:

67.0 millimeters

First Leg Distance Between Hole Centers Along Width:

25.4 millimeters

First Leg Distance From Edge To Hole Center Along Width:

20.8 millimeters

First Leg Distance From Edge To Hole Center Along Length:

25.4 millimeters

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

Between 5.0 radians and 7.0 radians

Second Leg Angle:

Between 5.0 radians and 7.0 radians

Material:

Steel comp 1009

Material Specification:

Astm a569 assn standard single material response

Surface Treatment:

Plastic polyurethane

Surface Treatment Specification:

Mil-c-46168 military specification single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-c-46168 spec.