

View Online at <https://aerobasegroup.com/nsn/5340-01-377-1643>

**Mounting Hole Type:**

Plain

**First Leg Length:**

50.0 millimeters

**Second Leg Length:**

Between 68.5 millimeters and 71.5 millimeters

**Reinforcement Method (non-core):**

Fillet center section

**Second Leg Width:**

70.0 millimeters

**First Leg Hole Diameter:**

9.1 millimeters

**Second Leg Hole Diameter:**

10.0 millimeters

**Second Leg Distance From Edge To Hole Center Along Width:**

36.0 millimeters

**Second Leg Distance From Edge To Hole Center Along Length:**

25.0 millimeters

**First Leg Thickness:**

2.000 inches

**Second Leg Thickness:**

2.000 inches

**First Leg Width:**

51.0 millimeters

**First Leg Distance Between Hole Centers Along Length:**

25.4 millimeters

**First Leg Distance From Edge To Hole Center Along Width:**

30.0 millimeters

**First Leg Distance From Edge To Hole Center Along Length:**

14.0 millimeters

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Material:**

Steel

**Material Specification:**

Astm a36 assn standard single material response

**Surface Treatment:**

Plastic polyurethane

**Surface Treatment Specification:**

Mil-c-46168 military specification single treatment response or mil-c-53039 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-c-46168 spec.