

View Online at <https://aerobasegroup.com/nsn/5340-01-377-1643>

Mounting Hole Type:

Plain

First Leg Length:

50.0 millimeters

Second Leg Length:

Between 68.5 millimeters and 71.5 millimeters

Reinforcement Method (non-core):

Fillet center section

Second Leg Width:

70.0 millimeters

First Leg Hole Diameter:

9.1 millimeters

Second Leg Hole Diameter:

10.0 millimeters

Second Leg Distance From Edge To Hole Center Along Width:

36.0 millimeters

Second Leg Distance From Edge To Hole Center Along Length:

25.0 millimeters

First Leg Thickness:

2.000 inches

Second Leg Thickness:

2.000 inches

First Leg Width:

51.0 millimeters

First Leg Distance Between Hole Centers Along Length:

25.4 millimeters

First Leg Distance From Edge To Hole Center Along Width:

30.0 millimeters

First Leg Distance From Edge To Hole Center Along Length:

14.0 millimeters

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material:

Steel

Material Specification:

Astm a36 assn standard single material response

Surface Treatment:

Plastic polyurethane

Surface Treatment Specification:

Mil-c-46168 military specification single treatment response or mil-c-53039 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-c-46168 spec.